

Search History. (8 pp) ~~7/8/5~~ (7/8/5)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	guard adj ring near6 barrier and fuse.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 09:03
L2	14	guard adj ring near6 barrier and fuse.ti,ab,clm. and barrier and guard adj ring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 09:05
L3	3	guard adj ring near6 barrier and fuse.ti,ab,clm. and barrier and guard adj ring near6 etch adj stop and barrier and guard adj ring and etch adj stop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 09:05
L5	67	ying.in. and fuse and window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 09:19
L6	8	ying.in. and fuse and window and passivation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 10:08
L7	670	teos.ti,ab,clm. and dielectric adj constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 10:09
L8	362	teos.ti,ab,clm. and dielectric adj constant near6 "low"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 10:10
L9	342	teos.ti,ab,clm. and dielectric adj constant near2 "low"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 10:11
L10	236	teos.ti,ab,clm. and dielectric adj constant near2 "high"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 10:11

L11	90	9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 10:11
L12	37	(US-20020135043-\$ or US-20030011042-\$ or US-20030119227-\$ or US-20030132504-\$ or US-20030139028-\$ or US-20030151060-\$ or US-20030153135-\$ or US-20030153173-\$ or US-20030160297-\$ or US-20030168714-\$ or US-20040119138-\$ or US-20050077593-\$ or US-20050077594-\$ or US-20050101114-\$ or US-20050110070-\$).did. or (US-5844296-\$ or US-5879966-\$ or US-5955773-\$ or US-6104079-\$ or US-6121073-\$ or US-6268638-\$ or US-6288437-\$ or US-6295721-\$ or US-6300232-\$ or US-6330252-\$ or US-6335229-\$ or US-6433406-\$ or US-6518643-\$ or US-6750129-\$ or US-6300252-\$).did. or (JP-2001093981-\$).did. or (JP-11017676-\$ or US-5879966-\$ or US-6121073-\$ or JP-2001093981-\$ or US-6295721-\$ or US-6335229-\$). did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/07/08 11:01
L13	2	12 and kagiwata.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 11:01
L14	0	kagiwata.in. and fuse and guard adj ring	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 11:02
L15	7	kagiwata.in. and fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 11:21
L16	1714	((257/209) or (257/529) or (257/E21.592) or (257/E23.149) or (257/E23.15)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/08 11:22

L17	73	16 AND LASER NEAR2 (MELTING TRIMMING) AND (CRACK\$3 DAMAG\$3 MOISTURE) AND FUSE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 11:24
S1	59	"5,879,966" "6,121,073" "6,330,252" "6,295,721" "6,335,229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 09:02
S2	10	((("5,879,966") or ("6,121,073") or ("6,330,252") or ("6,295,721") or ("6,335,229")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 11:11
S3	0	("804713.ap.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 11:15
S4	5	"804713".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 11:15
S5	716	fuse.ti. and "257"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:03
S6	24972	fuse.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:04
S7	0	fuse.ti. and (damage fragile crack\$3) near6 dielectric near6 laser adj trimming	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 14:06
S8	0	fuse.ti. and (damage fragile crack\$3) near12 dielectric near12 laser adj trimming	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 14:07
S9	0	fuse.ti. and (damage fragile crack\$3) near12 (passivat\$3 dielectric) near12 laser adj trimming	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 14:07

S10	2	fuse.ti. and (damage fragile crack\$3) near12 laser adj trimming	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 14:09
S11	193	fuse.ti. and (damage fragile crack\$3) and (passivat\$3 dielectric) and semiconductor adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 14:26
S12	836	(257/529).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:26
S13	757	(257/529).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/06 14:26
S14	96	S13 and crack\$3 and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 14:27
S15	757	(257/529).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/07/06 15:52
S16	32	S15 and crack\$3 and laser and (silicon adj dioxide "Si O.sub.2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:23
S17	2	("6433406").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:23

S18	34	(US-20050110070-\$ or US-20050101114-\$ or US-20050077594-\$ or US-20050077593-\$ or US-20040119138-\$ or US-20030168714-\$ or US-20030160297-\$ or US-20030153173-\$ or US-20030153135-\$ or US-20030151060-\$ or US-20030139028-\$ or US-20030132504-\$ or US-20030119227-\$ or US-20030011042-\$ or US-20020135043-\$).did. or (US-6335229-\$ or US-6330252-\$ or US-6295721-\$ or US-6121073-\$ or US-5879966-\$ or US-5844296-\$ or US-6750129-\$ or US-6518643-\$ or US-6300232-\$ or US-5955773-\$ or US-6104079-\$ or US-6268638-\$ or US-6288437-\$ or US-6433406-\$).did. or (US-6335229-\$ or US-6295721-\$ or US-6121073-\$ or US-5879966-\$ or JP-11017676-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/07/06 16:47
S19	3	S18 and copper near4 wiring and aluminum near4 fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:48
S20	3	S18 and copper near4 wiring and alumin\$um near4 fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:53
S21	28393	fuse.ti. copper near4 wiring and alumin\$um near4 fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:53
S22	28354	fuse.ti. (copper near2 wiring near10 alumin\$um near2 fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:53
S23	4	fuse.ti. and (copper near2 wiring near10 alumin\$um near2 fuse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:55

S24	0	jp-02068360\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:56
S25	0	jp-0268360\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:56
S26	2	jp-2001093981\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 16:56
S27	2	("6433406").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:18
S28	0	S27 and etch adj stop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 10:40
S29	1	S27 and etch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 10:44
S30	1074	etch adj stop.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 10:44
S31	248	etch adj stop.ti. and "257"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 10:51
S32	248	etch adj stop.ti. and "257"/\$7.ccls. and etch adj stop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 10:59
S33	5	"232214".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 11:14

S34	112	etch adj stop and fuse.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 11:48
S35	112	etch adj stop and fuse.ti. and fuse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 11:49
S36	0	titankum adj nitride near3 etch adj stop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:18
S37	54	titanium adj nitride near3 etch adj stop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:18
S38	6	"6433406"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:46
S39	2	("6433406").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:46
S40	1	S39 and barrier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:46
S41	10	(US-6335229-\$ or US-6330252-\$ or US-6295721-\$ or US-6121073-\$ or US-5879966-\$).did. or (US-6335229-\$ or US-6295721-\$ or JP-11017676-\$ or US-6121073-\$ or US-5879966-\$).did.	USPAT; DERWENT	OR	OFF	2005/07/07 14:28
S42	6	S41 and (thick thickness)	USPAT; DERWENT	OR	OFF	2005/07/07 14:29
S43	6	S41 and (thick thickness)	USPAT; DERWENT	OR	ON	2005/07/07 14:39
S44	0	S41 and (thick thickness) near6 guard adj ring	USPAT; DERWENT	OR	ON	2005/07/07 14:31
S45	4	(guard adj ring guard-ring) near10 (thick thickness) and fuse.ti.	USPAT; DERWENT	OR	ON	2005/07/07 14:44

S46	8	(guard adj ring guard-ring) near20 (thick thickness) and fuse.ti,ab.	USPAT; DERWENT	OR	ON	2005/07/07 15:51
S47	2	("5795819").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 15:52
S48	10	(US-6335229-\$ or US-6330252-\$ or US-6295721-\$ or US-6121073-\$ or US-5879966-\$).did. or (US-6335229-\$ or US-6295721-\$ or JP-11017676-\$ or US-6121073-\$ or US-5879966-\$). did.	USPAT; DERWENT	OR	OFF	2005/07/07 17:19
S49	47702	"10" and laser near6 wavelength	USPAT; DERWENT	OR	OFF	2005/07/07 17:19
S50	2	S48 and laser near6 wavelength	USPAT; DERWENT	OR	OFF	2005/07/07 17:20